

The Perfect Power Tools.

High-pressure spray guns
up to 2,800 bar

URACA



Leading Technology – A clear Advantage

Washing, cleaning, blasting – URACA spray guns and lances handle this with ease! High quality material and expert craftsmanship ensures our high pressure products are robust, durable and will provide many years of reliable service.

The ATEX version of the SP 1203 is also available upon request.



Advantages at a glance

- Low weight, easy handling
- Large volume flow, low pressure loss
- Easy trigger, low retention force
- Tough, reliable and long-lasting
- ATEX version
- Extensive range of accessories
- Integrated safety concept
- Suitable for all pump brands

SPRAY GUNS		SP 250	SP 250-Vario*
Operating pressure (max.)	bar	250	250
Weight (with spray tube)	kg	1.5	1.5
Length standard spray tube	mm	390	390
Nozzle assembly (standard)	Typ	N	N
Connection thread at inlet		G 3/4	G 3/4
Hose connection with standard connecting studs		M24x1.5 DKO-S	M24x1.5 DKO-S

*With adjustable flow rate

The SP 250 Spray Gun – Pure Power

Cleaning power at an extremely low weight of only 1.5 kg. The adjustable flow rate enables the user to practically

dose the large volume flow of the SP 250-Vario making the SP 250 extremely versatile. Its attractive price performance ratio is outstanding.



Spray Guns – Modern Design

URACA spray guns maximize user efficiency due to their low weight, easy handling, and minimize retention forces.

The technical optimization of these tools makes them robust, simple to use, virtually fatigue free and they can be used with any pump system.



SPRAY GUNS		SP 503	SP 802	SP 1203*	SP 1603
Operating pressure (max.)	bar	500	800	1,200	1,600
Weight (without spray tube)	kg	1.2	1.6	1.7	1.7
Length standard spray tube	mm	800	800	800	800
Nozzle assembly (standard)	Typ	N	P	P	P
Connection thread at inlet		G 1/2	G 1/2	G 1/2	M26x1.5
Hose connection with standard connecting studs			M24x1.5 DKO-S		UNF 9/16-18 LH

*ATEX version also available



SPRAY LANCES		SL 800	SL 2000	SL 2800
Operating pressure (max.)	bar	800	2,000	2,800
Weight (without spray tube)	kg	2.0	1.5	1.5
Length standard spray tube	mm	800	800	800
Nozzle assembly (standard)	Typ	P	K	K
Connection thread at inlet		G 1/2	M26x1.5	
Hose connection with standard connecting studs		M24x1.5 DKO-S	UNF 9/16-18 LH	

Spray Lances – The Complete Package

Although spray lances do not include an integrated valve, URACA lances offer a standard electrical remote control to

“start and stop” any pump unit. This feature makes lancing easier and safer.



URACA reserves the right to make changes, modifications or corrections without notice.

1 bar = 14,5038 psi, 1 l / min = 0,26417 USGPM = 0,22 IPGPM., 1kW=1,3410 HP, 1mm= 0,03937 inch

Versatility and Efficiency

URACA spray guns and spray lances are powerful tools and with the appropriate pump unit

they become a highly efficient high-pressure cleaning system. An extensive range of acces-

series broaden your scope of applications.

Maximum Control

Ergonomic gun grip with secured trigger. The SP 250-Vario also has a dosable flow rate. Adjustable extra grip and shoulder support for recoil forces above 150 N.



No Down Time

Fast change, without tools, of jets, spray tubes, extension tubes and rigid lances for any application.

Safe Operation

Splash guard (made of plastic or metal braiding) protects from flying debris. Protective clothing for safe and comfortable working.



Proven Quality

Ultra-high-pressure pump units with diesel and electric drive.



Ready, Set, Go!

Nozzles and cleaning tools for any application.



Direct Feed Line

Hose connections with swivel joints and adjustable grips make work easier.



Dedication is everything.

Customers have a job to do –
URACA engineers offer the best
solutions.

Certified according to

- DIN EN ISO 9001: 2008
by LRQA
- VGB KTA 1401
- AD 2000 – HPO
- Others on request



Our Promise:
After the commissioning of a
URACA system, you will always
have our support!

- Service telephone hotline
- Quick delivery of spare parts
- Competent repairs/
maintenance
- User support
- Advice
- Tests
- Training
- Pump units on loan

URACA Pumpenfabrik
GmbH & Co. KG
Sirchinger Str. 15
72574 Bad Urach
Phone: +49 (7125) 133-0
Fax: +49 (7125) 133-202
eMail: info@uraca.de
www.uraca.de